

AIRFLOW PLUS

Before using this product, please carefully read and follow the recommendations of the instruction manual originally delivered with your device and system. Please pay special attention to the safety precautions of the electrical device and the use of the device. Any serious accident that has occurred in relation to the device should be reported to the manufacturer and the competent authority of the Member State in which the user and/or patient is established.

The AIRFLOW PLUS is intended to be used with EMS AIRFLOW™ devices equipped with EMS AIRFLOW™ and/or PERIOFLOW™ Handpiece only, to remove biofilm supragingivaly and subgingivaly, stains and early calculus.

- From primary and secondary teeth.
- From dental hard tissues: enamel, dentine and cementum.
- From oral soft tissues: gingiva, tongue and palate.
- From restorations, prosthetics and dentures.
- From implants.
- From orthodontic appliances including aligners.

Indications
This powder is indicated for the GBT Guided Biofilm Therapy: caries and perio prevention and maintenance. AIRFLOW™. Removes biofilm supragingivaly and subgingivaly up to 4mm, stains and early calculus. PERIOFLOW™. Removes biofilm in 4-4 to 9mm periodontal, root furcations and peri-implant pockets.

- Caries diagnosis.
- Fluoride treatment.
- Orthodontic treatment.
- Restorative and prosthetic treatments.
- Bleaching procedures.

Intended user population

This powder is intended to be used by dental professionals.

Intended patient population

This powder is intended to be used on patients regardless of age, including children.

Undesirable side effects and contraindications
Chlorhexidine can cause allergic reactions. This powder should not be used on patients allergic to chlorhexidine.

Recommendations
Always disclose biofilm before removing it with AIRFLOW™. Do not overuse. Stop the treatment when/where the discosing agent is gone. **Storage and shelf-life:** Store in airtight condition up to 25 °C up to 90% relative humidity. Transport conditions between -29° C to 38 °C and up to 90% relative humidity. Shelf life: 36 months.

There is no specific safety risk related to the disposal of the product and its container. Disposal must be made according to country specific regulations.

Chlorhexidine 0.3% and Hydrophobic modified amorphous silica
Erythritol
Translators in this manual are based on the English version. Thus the English text will be referred to in case of discrepancy.

Chlorhexidine 0.3% and Hydrophobic modified amorphous silica
Erythritol
Translators in this manual are based on the English version. Thus the English text will be referred to in case of discrepancy.

Chlorhexidine 0.3% and Hydrophobic modified amorphous silica
Erythritol
Translators in this manual are based on the English version. Thus the English text will be referred to in case of discrepancy.

Chlorhexidine 0.3% and Hydrophobic modified amorphous silica
Erythritol
Translators in this manual are based on the English version. Thus the English text will be referred to in case of discrepancy.

Chlorhexidine 0.3% and Hydrophobic modified amorphous silica
Erythritol
Translators in this manual are based on the English version. Thus the English text will be referred to in case of discrepancy.

Chlorhexidine 0.3% and Hydrophobic modified amorphous silica
Erythritol
Translators in this manual are based on the English version. Thus the English text will be referred to in case of discrepancy.

Chlorhexidine 0.3% and Hydrophobic modified amorphous silica
Erythritol
Translators in this manual are based on the English version. Thus the English text will be referred to in case of discrepancy.

Chlorhexidine 0.3% and Hydrophobic modified amorphous silica
Erythritol
Translators in this manual are based on the English version. Thus the English text will be referred to in case of discrepancy.

Chlorhexidine 0.3% and Hydrophobic modified amorphous silica
Erythritol
Translators in this manual are based on the English version. Thus the English text will be referred to in case of discrepancy.

Chlorhexidine 0.3% and Hydrophobic modified amorphous silica
Erythritol
Translators in this manual are based on the English version. Thus the English text will be referred to in case of discrepancy.

Chlorhexidine 0.3% and Hydrophobic modified amorphous silica
Erythritol
Translators in this manual are based on the English version. Thus the English text will be referred to in case of discrepancy.

Chlorhexidine 0.3% and Hydrophobic modified amorphous silica
Erythritol
Translators in this manual are based on the English version. Thus the English text will be referred to in case of discrepancy.

Chlorhexidine 0.3% and Hydrophobic modified amorphous silica
Erythritol
Translators in this manual are based on the English version. Thus the English text will be referred to in case of discrepancy.

Chlorhexidine 0.3% and Hydrophobic modified amorphous silica
Erythritol
Translators in this manual are based on the English version. Thus the English text will be referred to in case of discrepancy.

Chlorhexidine 0.3% and Hydrophobic modified amorphous silica
Erythritol
Translators in this manual are based on the English version. Thus the English text will be referred to in case of discrepancy.

Chlorhexidine 0.3% and Hydrophobic modified amorphous silica
Erythritol
Translators in this manual are based on the English version. Thus the English text will be referred to in case of discrepancy.

Chlorhexidine 0.3% and Hydrophobic modified amorphous silica
Erythritol
Translators in this manual are based on the English version. Thus the English text will be referred to in case of discrepancy.

Chlorhexidine 0.3% and Hydrophobic modified amorphous silica
Erythritol
Translators in this manual are based on the English version. Thus the English text will be referred to in case of discrepancy.

Chlorhexidine 0.3% and Hydrophobic modified amorphous silica
Erythritol
Translators in this manual are based on the English version. Thus the English text will be referred to in case of discrepancy.

Преци да използвате този продукт, моля, прочетете внимателно и следвайте препоръките от ръководствата с инструкции, първоначално предоставени с Вашето изделие и система. Обърнете специално внимание на предпазните мерки за безопасност. Всяка сериозна инцидент, възникнал във връзка с изделието, трябва да се докладва на производителя и на компетентния орган на държавата членка, в която е установен потребителят и/или пациентът.

The AIRFLOW PLUS is intended to be used with EMS AIRFLOW™ devices equipped with EMS AIRFLOW™ and/or PERIOFLOW™ Handpiece only, to remove biofilm supragingivaly and subgingivaly, stains and early calculus.

- From primary and secondary teeth.
- From dental hard tissues: enamel, dentine and cementum.
- From oral soft tissues: gingiva, tongue and palate.
- From restorations, prosthetics and dentures.
- From implants.
- From orthodontic appliances including aligners.

Indications
This powder is indicated for the GBT Guided Biofilm Therapy: caries and perio prevention and maintenance. AIRFLOW™. Removes biofilm supragingivaly and subgingivaly up to 4mm, stains and early calculus. PERIOFLOW™. Removes biofilm in 4-4 to 9mm periodontal, root furcations and peri-implant pockets.

- Caries diagnosis.
- Fluoride treatment.
- Orthodontic treatment.
- Restorative and prosthetic treatments.
- Bleaching procedures.

Intended user population

This powder is intended to be used by dental professionals.

Intended patient population

This powder is intended to be used on patients regardless of age, including children.

Undesirable side effects and contraindications
Chlorhexidine can cause allergic reactions. This powder should not be used on patients allergic to chlorhexidine.

Recommendations
Always disclose biofilm before removing it with AIRFLOW™. Do not overuse. Stop the treatment when/where the discosing agent is gone. **Storage and shelf-life:** Store in airtight condition up to 25 °C up to 90% relative humidity. Transport conditions between -29° C to 38 °C and up to 90% relative humidity. Shelf life: 36 months.

There is no specific safety risk related to the disposal of the product and its container. Disposal must be made according to country specific regulations.

Chlorhexidine 0.3% and Hydrophobic modified amorphous silica
Erythritol
Translators in this manual are based on the English version. Thus the English text will be referred to in case of discrepancy.

Chlorhexidine 0.3% and Hydrophobic modified amorphous silica
Erythritol
Translators in this manual are based on the English version. Thus the English text will be referred to in case of discrepancy.

Chlorhexidine 0.3% and Hydrophobic modified amorphous silica
Erythritol
Translators in this manual are based on the English version. Thus the English text will be referred to in case of discrepancy.

Chlorhexidine 0.3% and Hydrophobic modified amorphous silica
Erythritol
Translators in this manual are based on the English version. Thus the English text will be referred to in case of discrepancy.

Chlorhexidine 0.3% and Hydrophobic modified amorphous silica
Erythritol
Translators in this manual are based on the English version. Thus the English text will be referred to in case of discrepancy.

Chlorhexidine 0.3% and Hydrophobic modified amorphous silica
Erythritol
Translators in this manual are based on the English version. Thus the English text will be referred to in case of discrepancy.

Chlorhexidine 0.3% and Hydrophobic modified amorphous silica
Erythritol
Translators in this manual are based on the English version. Thus the English text will be referred to in case of discrepancy.

Chlorhexidine 0.3% and Hydrophobic modified amorphous silica
Erythritol
Translators in this manual are based on the English version. Thus the English text will be referred to in case of discrepancy.

Chlorhexidine 0.3% and Hydrophobic modified amorphous silica
Erythritol
Translators in this manual are based on the English version. Thus the English text will be referred to in case of discrepancy.

Chlorhexidine 0.3% and Hydrophobic modified amorphous silica
Erythritol
Translators in this manual are based on the English version. Thus the English text will be referred to in case of discrepancy.

Chlorhexidine 0.3% and Hydrophobic modified amorphous silica
Erythritol
Translators in this manual are based on the English version. Thus the English text will be referred to in case of discrepancy.

Chlorhexidine 0.3% and Hydrophobic modified amorphous silica
Erythritol
Translators in this manual are based on the English version. Thus the English text will be referred to in case of discrepancy.

Chlorhexidine 0.3% and Hydrophobic modified amorphous silica
Erythritol
Translators in this manual are based on the English version. Thus the English text will be referred to in case of discrepancy.

Chlorhexidine 0.3% and Hydrophobic modified amorphous silica
Erythritol
Translators in this manual are based on the English version. Thus the English text will be referred to in case of discrepancy.

Chlorhexidine 0.3% and Hydrophobic modified amorphous silica
Erythritol
Translators in this manual are based on the English version. Thus the English text will be referred to in case of discrepancy.

Chlorhexidine 0.3% and Hydrophobic modified amorphous silica
Erythritol
Translators in this manual are based on the English version. Thus the English text will be referred to in case of discrepancy.

Chlorhexidine 0.3% and Hydrophobic modified amorphous silica
Erythritol
Translators in this manual are based on the English version. Thus the English text will be referred to in case of discrepancy.

Chlorhexidine 0.3% and Hydrophobic modified amorphous silica
Erythritol
Translators in this manual are based on the English version. Thus the English text will be referred to in case of discrepancy.

Chlorhexidine 0.3% and Hydrophobic modified amorphous silica
Erythritol
Translators in this manual are based on the English version. Thus the English text will be referred to in case of discrepancy.

Пред použitím tohoto produktu si pečlivě prostudujte doporučení uvedené v návodu k použití a pozorně dodržujte všechny bezpečnostní předpisy. Před použitím si pečlivě přečtěte doporučení obsažená v tomto návodu. Každou závažnou událost, k níž dojde v souvislosti s přístrojem, má být hlášena výrobci a kompetentnímu orgánu členské země, v níž je registrován uživatel a/nebo pacient.

The AIRFLOW PLUS is intended to be used with EMS AIRFLOW™ devices equipped with EMS AIRFLOW™ and/or PERIOFLOW™ Handpiece only, to remove biofilm supragingivaly and subgingivaly, stains and early calculus.

- From primary and secondary teeth.
- From dental hard tissues: enamel, dentine and cementum.
- From oral soft tissues: gingiva, tongue and palate.
- From restorations, prosthetics and dentures.
- From implants.
- From orthodontic appliances including aligners.

Indications
This powder is indicated for the GBT Guided Biofilm Therapy: prevention cases a parodontální onemocnění a údržba. AIRFLOW™. Odstraňuje biofilm supragingivální a subgingivální do hloubky až 4 mm, pigmentace a čerstvé kalkolované zubní kámen. PERIOFLOW™. Odstraňuje biofilm v hloubce z 4 až 9 mm parodontální, ve furkacích kořenů a peri-implantních kapsech.

- Caries diagnosis.
- Fluoridová terapie
- ortodontické ošetření.
- restaurační a protézské ošetření.
- bělicí procedury.

Intended user population

This powder is intended to be used by dental professionals.

Intended patient population

This powder is intended to be used on patients regardless of age, including children.

Undesirable side effects and contraindications
Chlorhexidine can cause allergic reactions. This powder should not be used on patients allergic to chlorhexidine.

Recommendations
Always disclose biofilm before removing it with AIRFLOW™. Do not overuse. Stop the treatment when/where the discosing agent is gone. **Storage and shelf-life:** Store in airtight condition up to 25 °C up to 90% relative humidity. Transport conditions between -29° C to 38 °C and up to 90% relative humidity. Shelf life: 36 months.

There is no specific safety risk related to the disposal of the product and its container. Disposal must be made according to country specific regulations.

Chlorhexidine 0.3% and Hydrophobic modified amorphous silica
Erythritol
Translators in this manual are based on the English version. Thus the English text will be referred to in case of discrepancy.

Chlorhexidine 0.3% and Hydrophobic modified amorphous silica
Erythritol
Translators in this manual are based on the English version. Thus the English text will be referred to in case of discrepancy.

Chlorhexidine 0.3% and Hydrophobic modified amorphous silica
Erythritol
Translators in this manual are based on the English version. Thus the English text will be referred to in case of discrepancy.

Chlorhexidine 0.3% and Hydrophobic modified amorphous silica
Erythritol
Translators in this manual are based on the English version. Thus the English text will be referred to in case of discrepancy.

Chlorhexidine 0.3% and Hydrophobic modified amorphous silica
Erythritol
Translators in this manual are based on the English version. Thus the English text will be referred to in case of discrepancy.

Chlorhexidine 0.3% and Hydrophobic modified amorphous silica
Erythritol
Translators in this manual are based on the English version. Thus the English text will be referred to in case of discrepancy.

Chlorhexidine 0.3% and Hydrophobic modified amorphous silica
Erythritol
Translators in this manual are based on the English version. Thus the English text will be referred to in case of discrepancy.

Chlorhexidine 0.3% and Hydrophobic modified amorphous silica
Erythritol
Translators in this manual are based on the English version. Thus the English text will be referred to in case of discrepancy.

Chlorhexidine 0.3% and Hydrophobic modified amorphous silica
Erythritol
Translators in this manual are based on the English version. Thus the English text will be referred to in case of discrepancy.

Chlorhexidine 0.3% and Hydrophobic modified amorphous silica
Erythritol
Translators in this manual are based on the English version. Thus the English text will be referred to in case of discrepancy.

Chlorhexidine 0.3% and Hydrophobic modified amorphous silica
Erythritol
Translators in this manual are based on the English version. Thus the English text will be referred to in case of discrepancy.

Chlorhexidine 0.3% and Hydrophobic modified amorphous silica
Erythritol
Translators in this manual are based on the English version. Thus the English text will be referred to in case of discrepancy.

Chlorhexidine 0.3% and Hydrophobic modified amorphous silica
Erythritol
Translators in this manual are based on the English version. Thus the English text will be referred to in case of discrepancy.

Chlorhexidine 0.3% and Hydrophobic modified amorphous silica
Erythritol
Translators in this manual are based on the English version. Thus the English text will be referred to in case of discrepancy.

Chlorhexidine 0.3% and Hydrophobic modified amorphous silica
Erythritol
Translators in this manual are based on the English version. Thus the English text will be referred to in case of discrepancy.

Chlorhexidine 0.3% and Hydrophobic modified amorphous silica
Erythritol
Translators in this manual are based on the English version. Thus the English text will be referred to in case of discrepancy.

Chlorhexidine 0.3% and Hydrophobic modified amorphous silica
Erythritol
Translators in this manual are based on the English version. Thus the English text will be referred to in case of discrepancy.

Chlorhexidine 0.3% and Hydrophobic modified amorphous silica
Erythritol
Translators in this manual are based on the English version. Thus the English text will be referred to in case of discrepancy.

Chlorhexidine 0.3% and Hydrophobic modified amorphous silica
Erythritol
Translators in this manual are based on the English version. Thus the English text will be referred to in case of discrepancy.

Bevor Sie dieses Produkt verwenden, lesen und befolgen Sie bitte sorgfältig die Empfehlungen in den Bedienungsanleitungen, die zusammen mit Ihrem Gerät und Ihrem System geliefert wurden. Beachten Sie bitte besonders die Sicherheitsmaßnahmen. Sollte im Zusammenhang mit dem Gerät ein schwerwiegendes Zwischenfall auftreten, muss dies dem Hersteller und der zuständigen Behörde des Mitgliedstaates, in dem der Anwender und/oder der Patient ansässig ist, gemeldet werden.

The AIRFLOW PLUS is intended to be used with EMS AIRFLOW™ devices equipped with EMS AIRFLOW™ and/or PERIOFLOW™ Handpiece only, to remove biofilm supragingivaly and subgingivaly, stains and early calculus.

- From primary and secondary teeth.
- From dental hard tissues: enamel, dentin and cementum.
- From oral soft tissues: gingiva, tongue and palate.
- From restorations, prosthes and dentures.
- From implants.
- From orthodontic appliances, herunder bøjler.

Indications
Dette pulver er indikeret til de Guided Biofilm Therapy (GBT) indiciert: Karies- og Periorophylaxe og Zahnerhalt. AIRFLOW™: Entfernt den Biofilm supragingival og subgingival op til 4mm, pletter og tidlig tandsten. PERIOFLOW™: Entfernt den Biofilm i 4-9 mm periodontal, rødfingering og lommer omkring implantat.

- Karies diagnose.
- Fluoridbehandling.
- Ortodontisk behandling.
- Restaurerende og protetiske behandling.
- Bleichprocedur.

Intended user population

This powder is intended to be used by dental professionals.

Intended patient population

This powder is intended to be used on patients regardless of age, including children.

Undesirable side effects and contraindications
Chlorhexidine can cause allergic reactions. This powder should not be used on patients allergic to chlorhexidine.

Recommendations
Always disclose biofilm before removing it with AIRFLOW™. Do not overuse. Stop the treatment when/where the discosing agent is gone. **Storage and shelf-life:** Store in airtight condition up to 25 °C up to 90% relative humidity. Transport conditions between -29° C to 38 °C and up to 90% relative humidity. Shelf life: 36 months.

There is no specific safety risk related to the disposal of the product and its container. Disposal must be made according to country specific regulations.

Chlorhexidine 0.3% and Hydrophobic modified amorphous silica
Erythritol
Translators in this manual are based on the English version. Thus the English text will be referred to in case of discrepancy.

Chlorhexidine 0.3% and Hydrophobic modified amorphous silica
Erythritol
Translators in this manual are based on the English version. Thus the English text will be referred to in case of discrepancy.

Chlorhexidine 0.3% and Hydrophobic modified amorphous silica
Erythritol
Translators in this manual are based on the English version. Thus the English text will be referred to in case of discrepancy.

Chlorhexidine 0.3% and Hydrophobic modified amorphous silica
Erythritol
Translators in this manual are based on the English version. Thus the English text will be referred to in case of discrepancy.

Chlorhexidine 0.3% and Hydrophobic modified amorphous silica
Erythritol
Translators in this manual are based on the English version. Thus the English text will be referred to in case of discrepancy.

Chlorhexidine 0.3% and Hydrophobic modified amorphous silica
Erythritol
Translators in this manual are based on the English version. Thus the English text will be referred to in case of discrepancy.

Chlorhexidine 0.3% and Hydrophobic modified amorphous silica
Erythritol
Translators in this manual are based on the English version. Thus the English text will be referred to in case of discrepancy.

Chlorhexidine 0.3% and Hydrophobic modified amorphous silica
Erythritol
Translators in this manual are based on the English version. Thus the English text will be referred to in case of discrepancy.

Chlorhexidine 0.3% and Hydrophobic modified amorphous silica
Erythritol
Translators in this manual are based on the English version. Thus the English text will be referred to in case of discrepancy.

Chlorhexidine 0.3% and Hydrophobic modified amorphous silica
Erythritol
Translators in this manual are based on the English version. Thus the English text will be referred to in case of discrepancy.

Chlorhexidine 0.3% and Hydrophobic modified amorphous silica
Erythritol
Translators in this manual are based on the English version. Thus the English text will be referred to in case of discrepancy.

Chlorhexidine 0.3% and Hydrophobic modified amorphous silica
Erythritol
Translators in this manual are based on the English version. Thus the English text will be referred to in case of discrepancy.

Chlorhexidine 0.3% and Hydrophobic modified amorphous silica
Erythritol
Translators in this manual are based on the English version. Thus the English text will be referred to in case of discrepancy.

Chlorhexidine 0.3% and Hydrophobic modified amorphous silica
Erythritol
Translators in this manual are based on the English version. Thus the English text will be referred to in case of discrepancy.

Chlorhexidine 0.3% and Hydrophobic modified amorphous silica
Erythritol
Translators in this manual are based on the English version. Thus the English text will be referred to in case of discrepancy.

Chlorhexidine 0.3% and Hydrophobic modified amorphous silica
Erythritol
Translators in this manual are based on the English version. Thus the English text will be referred to in case of discrepancy.

Chlorhexidine 0.3% and Hydrophobic modified amorphous silica
Erythritol
Translators in this manual are based on the English version. Thus the English text will be referred to in case of discrepancy.

Chlorhexidine 0.3% and Hydrophobic modified amorphous silica
Erythritol
Translators in this manual are based on the English version. Thus the English text will be referred to in case of discrepancy.

Chlorhexidine 0.3% and Hydrophobic modified amorphous silica
Erythritol
Translators in this manual are based on the English version. Thus the English text will be referred to in case of discrepancy.

Før dette produkt lages i brug, læs og følg venligst anbefalingerne i brugsanvisningen, som oprindeligt blev udfærdiget sammen med dit udstyr og system. Vær særlig opmærksom på sikkerhedsforholdsreglerne. Enhver alvorlig hændelse, der er indtruffet i forbindelse med udstyret, skal rapporteres til producenten og de kompetente myndigheder i den medlemsstat, hvor brugeren og/eller patienten er etableret.

The AIRFLOW PLUS is intended to be used with EMS AIRFLOW™ devices equipped with EMS AIRFLOW™ and/or PERIOFLOW™ Handpiece only, to remove biofilm supragingivaly and subgingivaly, stains and early calculus.

- From primary and secondary teeth.
- From dental hard tissues: enamel, dentin and cementum.
- From oral soft tissues: gingiva, tongue and palate.
- From restorations, prosthesy and dentures.
- From implants.
- From orthodontic appliances, herunder bøjler.

Indications
Dette pulver er indikeret til de Guided Biofilm Therapy (GBT) indiciert: Karies- og Periorophylaxe og Zahnerhalt. AIRFLOW™: Entfernt den Biofilm supragingival og subgingival op til 4mm, pletter og tidlig tandsten. PERIOFLOW™: Entfernt den Biofilm i 4-9 mm periodontal, rødfingering og lommer omkring implantat.

- Karies diagnose.
- Fluoridbehandling.
- Ortodontisk behandling.
- Restaurerende og protetiske behandling.
- Bleichprocedur.

Intended user population

This powder is intended to be used by dental professionals.

Intended patient population

This powder is intended to be used on patients regardless of age, including children.

Undesirable side effects and contraindications
Chlorhexidine can cause allergic reactions. This powder should not be used on patients allergic to chlorhexidine.

Recommendations
Always disclose biofilm before removing it with AIRFLOW™. Do not overuse. Stop the treatment when/where the discosing agent is gone. **Storage and shelf-life:** Store in airtight condition up to 25 °C up to 90% relative humidity. Transport conditions between -29° C to 38 °C and up to 90% relative humidity. Shelf life: 36 months.

There is no specific safety risk related to the disposal of the product and its container. Disposal must be made according to country specific regulations.

Chlorhexidine 0.3% and Hydrophobic modified amorphous silica
Erythritol
Translators in this manual are based on the English version. Thus the English text will be referred to in case of discrepancy.

Chlorhexidine 0.3% and Hydrophobic modified amorphous silica
Erythritol
Translators in this manual are based on the English version. Thus the English text will be referred to in case of discrepancy.

Chlorhexidine 0.3% and Hydrophobic modified amorphous silica
Erythritol
Translators in this manual are based on the English version. Thus the English text will be referred to in case of discrepancy.

Chlorhexidine 0.3% and Hydrophobic

